



- + We have models able to be used fixed or mobile, depending on the request.
- + These are high quality cabinets, appropriate for the storage of small materials and provide an easy access.
- + They can be used for SK 30-40-50 morse tapers and for HSK 16-32-40-50-63-80 tapers.
- + We have a special fixed CNC plastic for HSK 100 upon request..
- + We have a special CNC plastic suitable for CAPTO C3-C4-C5-C6-C8.
- + These are welded, stable, steel sheet construction and coated with electrostatic powder paint.
- + There are 4 vertical rail guide studs inside the cabinet.
- + The silent operating drawers have a load bearing capacity of 80 kg and a single drawing of 98% and equipped with a high safety, two key central locking system.
- + There are prefabricated, punched channels in all drawers and whilst the drawer height can be varied at steps of 25 mm, it is possible to create diverse drawer combinations with metal separators according to all drawer heights.
- + The rails are X.5 mm 6X01 zz bearing and the E standard is 1E=17mm.
- + They include to the ground adjustable M1X screwed chocks.
- + The doors at the models with doors can be opened by 180°.
- + There are round edged, embedded stripe channel, eloxal aluminium lugs and plastic taps on the lug heads.



27X54 EK



24 pcs CNC holder capacity




27X27 E




12 pcs CNC holder capacity



27X27 E



12 pcs CNC holder capacity



36X36 E



20 Pcs CNC Holder capacity




36X36 E



20 Pcs CNC Holder capacity




27X27 E



12 pcs CNC holder capacity



27X27 E



12 pcs CNC holder capacity





1,80 m

