


The need for shelves is generally the result of the requirement to stowe and pile. It is desired in working environments that the materials are easy accessible in sight. Different models and solutions resulted pursuant to the need to use time and the space more efficiently, and to access the products rapidly and easily.

















MINIRACK SHELF SYSTEMS



This system among the galvanized shelves, commonly preferred for light loads, include traverse types in 3 different lengths (1000, 1250, 1500 mm). The foot lengths can be produced from 1000 mm to 4000 mm. All-round double bent galvanized sheet trays with a width of 250 mm are used.

The traverse heights can be adjusted to the desired size in steps of 25 mm by inserting 3 hooks.


These systems, which meet any type of needs, are generally used in sectors like archives, automotive spare parts, hotels, food industry, hospitals, textile and automotives.


KOÇEL A.Ş. galvanized minirack shelf systems are environment sensitive. They don't need any welding, dyeing or assembly team.



	lengths	750					
	Bearing Capacity	300	270	230	200	175	150
	Order Code	35075	35100	35125	35150	35175	35200
	Bearing Capacity	1580	1150	940	780	670	580
	Order Code	46075	46100	46125	46150	46175	46200
	Bearing Capacity	1200	900	730	600	500	450
	Order Code	CZ075	CZ100	CZ125	CZ150	CZ175	CZ200
	Bearing Capacity	1500	1100	900	700	600	500
	Order Code	CU075	CU100	CU125	CU150	CU175	CU200

H mm	500	600	700	800	1000
2000	20650	20660	20670	20680	206100
2500	25650	25660	25670	25680	256100
3000	30650	30660	30670	30680	306100
3500	35650	35660	35670	35680	356100
4000	40650	40660	40670	40680	406100





Order

Code

CL075

CL100

CL125

H mm	700	800	1000	
2000	20870	20880	208100	
2500	25870	25880	258100	
3000	30870	30880	308100	
3500	35870	35880	358100	
4000	40870	40880	408100	

CL150

CL175

CL200

