


Safe in motion ...

So that you have everything under control:


Plastic profiles / lateral guides

Guide rail made of PVC


L-Type




T-Type



U-Type



LL-Type



Std.	ESD version	Thick-ness	W1	W2	H1	H2	Lenth in m	Color
<b>113241 AL-1-G-4</b>		3 mm	50 mm		30 mm		4,00	grey
<b>100413 AL-1-E</b>	X						4,00	black
<b>113560 AL-4-G</b>		4 mm	90 mm		80 mm		4,00	grey
<b>100392 AL-5-i</b>		5 mm	50 mm		50 mm		3,00	ivory
<b>100393 AL-5B-i</b>		4 mm	50 mm		50 mm		3,00	ivory
100414 AL-5B-E	X						4,00	black
<b>113561 AL-6-G</b>		5 mm	75 mm		50 mm		4,00	grey
<b>113562 AL-6B-G</b>		4 mm	75 mm		50 mm		4,00	grey
100395 AL-6B-i							3,00	ivory
113563 AL-7-G		5 mm	150 mm		50 mm		4,00	grey
100396 AL-7-i							3,00	ivory
113564 AL-7B-G		4 mm	150 mm		50 mm		4,00	grey
100397 AL-7B-i							3,00	ivory
<b>100415 AL-7B-E</b>	X						4,00	black
<b>113565 AL-8-G</b>		4 mm	100 mm		50 mm		4,00	grey
100398 AL-8-i							3,00	ivory
100416 AL-8-E	X						4,00	black
100399 AT-1-i		4 mm	100 mm		50 mm		3,00	ivory
100418 AU-1-E	X	3 mm	36 mm		36 mm	36 mm	4,00	black
113244 AU-2-G-4		3 mm	60 mm		30 mm	40 mm	4,00	grey
100423 AU-2-E	X						4,00	black
<b>113566 AS-1-G</b>		4 mm	32 mm	70 mm	34 mm	25 mm	4,00	grey
113567 AS-3-G		4 mm	17 mm	50 mm	30 mm	30 mm	4,00	grey


Colours: ● ivory ● grey

Please quote the desired length when ordering. Shorter sizes available upon request.



**114268 Z-1630**

L-angle profile, galvanised  
30 x 30 mm  
Thickness: 1,8 mm  
length: 1.8 m



**CD-28C/D**

grey  
CD-28C  
**CD-28C/D-E**  
CD-28D  
ESD  
black

Cable channel  
weight:  
CD-28A 0.22 kg/m  
CD-28B 0.26 kg/m  
length: 4 m


Art.Nr.	Part
112324	CD-28C
112325	CD-28D
112326	CD-28C-E
112327	CD28D-E



**112628 DP-A**

ivory  
GAP-37A

Dust protecting panel  
weight: 0.36 kg/m  
length: 3 m, 4 m



**100406 PC-01<sup>1</sup>**

ivory  
**100424 PC-01-E<sup>1</sup>**  
ESD  
black  
**100424 PC-02<sup>2</sup>**  
grey

Pipe cover  
weight: 0.32 kg/m  
thickness: 2.5 mm  
length: 3 m, 4 m



**112045 SG-01**

grey

Clamping strip for panel material 5 mm, web centre  
weight: 0.45 kg/m  
length: 4 m



**115928 SG-03**

grey

Clamping strip for panel material 5 mm, web off-centre  
length: 3 m



**115554 SG-02**

grey

Clamping strip for panel material 5 mm, web off-centre, outgoing  
length: 3 m



**117516 ARG-35B**

natural aluminium  
**112044 RG-35B**  
grey

Lateral guide  
weight: 0,79 kg/m  
length: 4 m



**125262 ARG-35BN**

natural aluminium

Lateral guidance  
Successor product of ARG-35B  
5 mm smaller splay than at ARG-35B

Material: Aluminium  
Weight: 0,81 kg/m  
Length: 4m



**116317 AL-RG-35B**

natural aluminium

Lateral guide for Series 35  
(probably available as from Q3/2013)



**125465 ARG-35C 3m**

natural aluminium

Lateral guide for Series 35/40  
weight: 0,52 / 0,62 kg/m  
length ARG-35C: 3 m, 4 m  
Lebgh ARG-40C: 4 m



**117322 ARG-40C**

natural aluminium

Lateral guide for Series 35/40  
weight: 0,52 / 0,62 kg/m  
length ARG-35C: 3 m, 4 m  
Lebgh ARG-40C: 4 m

Please quote the desired length when ordering. Shorter sizes available upon request.



**RG-40B**

- grey
- black
- white

Lateral guide for Series 40  
weight: 1.26 kg/m  
length: 4 m

Art.Nr.:	Part
120871	dark grey
120341	black
124101	white



**RG-40B<sup>1</sup>**


- dark grey
- white

**RG-40B40<sup>2</sup>**

- dark grey

120340	RG-40B W
132077	RG-40B VGD
128402	RG-40B40 VGD

Lateral guide for Serie 40 with bridge  
material: PVC  
weight:  $\pm 0,97$ ;  $\pm 1,26$  kg/m  
length: 4 m




**113453 RG-40D G**

- grey

**126206 ARG-40D**

- natural aluminium


Lateral guide for Series 40  
weight: 0.56 kg/m  
length: 3 m



**113454 RG-40E G**

- ivory
- grey


Lateral guide for Series 40  
weight: 0.86 kg/m  
length ivory: 3 m  
Lebght Gray: 4 m



**125261 ARG-40F**

- natural aluminium


Lateral guide  
weight: 1,11 kg/m  
length: 4 m



- 113481 AL-SG-28A**
- 115571 AL-SG-28A-12**
- Natural aluminium
- 112251 SG-28A**
- grey
- 100421 SG-28A-E**




Lateral guide  
weight: 0.79 / 0.89 kg/m  
length: 6 m



- 116740 ARG-4030BL<sup>1</sup>**
- 117293 ARG-4045BL<sup>2</sup>**

- <sup>1</sup>h=30
- <sup>2</sup>h=45
- natural aluminium

Lateral guide for Series 40  
weight: 0,87 kg/m  
length: 4 m




- 113480 AL-RG-40B**

- Natural aluminium

**RG-40B40**

- grey
- black
- white

Lateral guide for Series 40  
weight: 1.94 kg/m  
length: 4 m




**Note:**

Aluminium lateral guidances are suitable for non-conductive use and for use with conductive materials


Note: Aluminium and plastic versions differ in dimensions. Changes in colours and technical details reserved. Lateral guides supplied without roller tracks.

**116318 AL-RG-60B**



Natural aluminium

Lateral guide for Series 60  
length: 4 m




**130807 ARG-60C**




Natural aluminium

Lateral guide for Serie 60  
length: 4 m  
weight: 1,26 kg/m



**116976 ARG-40A**




Natural aluminium


**RG-40A**

- grey
- black
- white

Lateral guide for Series 40  
weight: 0.52 kg/m  
length: 3 m, 4 m




**119217 ARG-4032AN**



Natural aluminium

Lateral guide  
weight: 0,588 kg/m  
length: 4 m



**Order Overview Lateral Guidances**

Art.Nr.	Part	Material	Conductive	Length in m	Colour
117516	ARG-35B	Aluminium	x	4,00	natural aluminium
125263	ARG-35C	Aluminium	x	4,00	natural aluminium
125465	ARG-35C	Aluminium	x	3,00	natural aluminium
120011	ARG-4030BL	Aluminium	x	1,50	natural aluminium
120010	ARG-4030BL	Aluminium	x	2,00	natural aluminium
120009	ARG-4030BL	Aluminium	x	2,50	natural aluminium
120008	ARG-4030BL	Aluminium	x	3,00	natural aluminium
116740	ARG-4030BL	Aluminium	x	4,00	natural aluminium
119217	ARG-4032AN	Aluminium	x	4,00	natural aluminium
117293	ARG-4045BL	Aluminium	x	4,00	natural aluminium
116976	ARG-40A	Aluminium	x	4,00	natural aluminium
117322	ARG-40C	Aluminium	x	4,00	natural aluminium
126206	ARG-40D	Aluminium	x	3,00	natural aluminium
125261	ARG-40F	Aluminium	x	4,00	natural aluminium
129664	AL-RG-35B	Aluminium	x	6,00	natural aluminium
116317	AL-RG-35B	Aluminium	x	4,00	natural aluminium
129709	AL-RG-40B	Aluminium	x	6,00	natural aluminium
113480	AL-RG-40B	Aluminium	x	4,00	natural aluminium
128377	AL-RG-60B	Aluminium	x	6,00	natural aluminium
116318	AL-RG-60B	Aluminium	x	4,00	natural aluminium
129712	AL-SG-28A	Aluminium	x	6,00	natural aluminium
113481	AL-SG-28A	Aluminium	x	4,00	natural aluminium
115571	AL-SG-28A-12	Aluminium	x	4,00	natural aluminium
129762	AL-SG-28A-12	Aluminium	x	6,00	natural aluminium
112044	RG-35B-G	PVC		4,00	grey
120954	RG-40A-W	PVC		4,00	white
120878	RG-40A-VGD	PVC		4,00	dark grey
100419	RG-40A-E	PVC	x	4,00	black
124101	RG-40B-W	PVC		4,00	white
120340	RG-40B-W (mit Steg)	PVC		4,00	white
120871	RG-40B-VGD	PVC		4,00	dark grey
132077	RG-40B VGD (mit Steg)	PVC		4,00	white
120341	RG-40B-4-BK	PVC		4,00	black
120346	RG-40B40-4-W	PVC		4,00	white
112623	RG-40B40-4-G	PVC		4,00	grey
120874	RG-40B40-VGD	PVC		4,00	dark grey
128402	RG-40B40-VGD (mit Steg)	PVC		4,00	dark grey
120349	RG-40B40-4	PVC		4,00	black
113453	RG-40D-G	PVC		4,00	grey
113454	RG-40E-G	PVC		4,00	grey
112045	SG-01-G	PVC		4,00	grey
115554	SG-02-G	PVC		3,00	grey
115928	SG-03-G	PVC		3,00	grey
100421	SG-28A-E	PVC	x	4,00	black
112251	SG-28A-G	PVC		4,00	grey