

according to Regulation (EC) No. 1907/2006

EDM-TEC Cleaner

Print date: 25.05.2016 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Erodiermaschinenreiniger

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Professional cleaners for industrial use

1.3. Details of the supplier of the safety data sheet

Company name: EDM-TEC OHG

Street: Wilhelm-Conrad-Röntgen-Straße 8

Place: D-56759 Kaisersesch

Telephone: +49(0)2653-91516-0 Fax: +49(0)2653-91516-26

e-Mail: <u>info@edm-tec.de</u> Internet: <u>www.edm-tec.de</u>

Contact person: Mr. Hess

1.4. Emergency phone: +49(0)2324-9881285

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr.1

Skin corrosion/irritation: Skin Corr. 1A Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Phosphoric acid 75 %; orthophosphoric acid Isotridecanol, ethoxylated

Signal word: Danger

Pictograms:

F

UStIdNr. DE 207685887 Steuernr. 45/203/0398/0



according to Regulation (EC) No. 1907/2006

EDM-TEC Cleaner

Print date: 25.05.2016 Page 2 of 10

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionsary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair):

Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No information available.

SECTION 3: Composition/Information on ingredients

3.2. Mixtures

Chemical characterization

Cleaner on the basis of (according to EC Detergents Regulation 648/2004): nonionic surfactants 1-5 %; anorganic Acids, Corrosion inhibitor

Hazardous components

CAS-No.	Chemical name				
	EC-No.	Index-No.	REACH-No.		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
7664-38-2	Phosphoric acid %; orthophosphoric acid				
	231-633-2	015-011-00-6			
	Skin corr. 1B; H314				
9043-30-5	Isotridecanol, ethoxylated				
	Acute Tox. 4 , Acute Tox. 4, Eye Dam. 1; H302 H312 H318				

Full text of H and EUH statements: see section 16.

info@EDM-TEC.de

F-Mail:



according to Regulation (EC) No. 1907/2006

EDM-TEC Cleaner

Print date: 25.05.2016 Page 3 of 10

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. Medical treatment necessary.

After contact wirt skin.

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water.

Take off immediately all contaminated clothin and wash it before reuse.

Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

Adverse human health effects and symptoms: Gastric perforation.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire fighting measures to the fire surroundings.

5.2. Special hazards airsing from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



according to Regulation (EC) No. 1907/2006

EDM-TEC Cleaner

Print date: 25.05.2016 Page 4 of 10

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid-or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Advice on storage compatibility

No special measures are necessary.

Storage place according

TRGS 510 - 8 B

7.3. Spezifische Endanwendugen

Gewerblicher Reiniger für den industriellen Einsatz.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS-No.	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-3	1		TWA (8 h)	WEL
		-?	2		STEL (15 min)	WEL

Wilh.-Conrad-Röntgen-Str. 8 D-56759 Kaisersesch

Internet: www.EDM-TEC.de Raiffeisenbank Moselkrampen eG Eingetragen beim Amtsgericht Koblenz Handelsregister HR A 4845 UStldNr. DE 207685887

Steuernr. 45/203/0398/0

Tel.: +49(0) 26 53 - 9 15 16- 0 Fax: +49(0) 26 53 - 9 15 16- 26 E-Mail: info@EDM-TEC.de Swift GENODED1MOK IBAN DE67 5706 9081 0002 0057 88



according to Regulation (EC) No. 1907/2006

EDM-TEC Cleaner

Print date: 25.05.2016 Page 5 of 10

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

Protextive and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or dri

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: transparent
Odour: neutral

pH-Value (at 20° C): >1,00

Changes in the physical state

Melting point: not determined

Initial boiling point and boiling range: 100° C

Flash point: not determined

Flammability

Solid: not applicable
Gas: not applicable
Upper explosion limits: not determined

Lover explosion limits: not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

Wilh.-Conrad-Röntgen-Str. 8 D-56759 Kaisersesch

Tel.: +49(0) 26 53 - 9 15 16- 0

Fax: +49(0) 26 53 - 9 15 16- 26

Internet: www.EDM-TEC.de Raiffeisenbank Moselkrampen eG Eingetragen beim Amtsgericht Koblenz Handelsregister HR A 4845 UStldNr. DE 207685887

Steuernr. 45/203/0398/0

E-Mail: info@EDM-TEC.de Swift GENODED1MOK IBAN DE67 5706 9081 0002 0057 88



according to Regulation (EC) No. 1907/2006

EDM-TEC Cleaner

Print date: 25.05.2016 Page 6 of 10

Oxidizing properties

Not oxidizing.

Vapour pressure (at 20° C): not determined

Density (at 20° C): 1,07 g/cm³

Water solubility (at 20° C): full soluble in water

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic (at 20° C): 37 mPa?s

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxide, Oxidising agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Base, Peroxide, Oxidising agent.

10.6. Hazardous decomposition products

No known hazardous decomposition products.



according to Regulation (EC) No. 1907/2006

Print date: 25.05.2016 EDM-TEC Cleaner Page 7 of 10

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS-No.	Chemical name				
	Exposure route	Dose		Species	Source
9043-30-5	Isotridecanol, ethoxylated				
	oral	ATE	500 mg/kg		
	dermal	ATE	1100 mg/kg		

Irritation an corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available deta, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classifid as hazardous according to regulation (EC) No. 1272/2008 [CLP].

Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

The product is not Ecotoxic.

CAS-No.	Chemical name					
	Aquatic toxicity	Dose		[h] [d]	Species	Source
7664-38-2	Phosphoric acid %; orthophosphoric acid					
	Acute fish foxicity	LC50	138mg/l	96 h	Gambusia affinis	

Raiffeisenbank

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

info@EDM-TEC.de

F-Mail:

Steuernr. 45/203/0398/0



according to Regulation (EC) No. 1907/2006

EDM-TEC Cleaner

Print date: 25.05.2016 Page 8 of 10

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

60104 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of acids; phosphoric and phosphorous acid. Classifield as hazardous waste.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number:	UN 1805
14.2. Un proper shipping name:	PHOSPHORIC ACID SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III

14.4. Packing group:IIIHazard label:8Classification code:C1Limited quantity:5 LExcepted quantity:E1Transport category:3Hazard No:80Tunnel restriction code:E



according to Regulation (EC) No. 1907/2006

EDM-TEC Cleaner

Print date: 25.05.2016 Page 9 of 10

Inland waterways transport (ADN)

14.1 UN number: UN 1805

14.2. Un proper shipping name: PHOSPHORIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C1Limited quantity:5 LExcepted quantity:E1

Marine transport (IMDG)

14.1 UN number: UN 1805

14.2. Un proper shipping name: PHOSPHORIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, S-B

Air transport (ICAO)

14.1 UN number: Un 1805

14.2. Un proper shipping name: PHOSPHORIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 LPassenger LQ:Y841

Excepted quantity: E1
IATA-packing instructions - Passenger: 852
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 856
IATA-max. quantity - Cargo: 60 L

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC-Code

not applicable

UStIdNr. DE 207685887 Steuernr. 45/203/0398/0



according to Regulation (EC) No. 1907/2006

EDM-TEC Cleaner

Print date: 25.05.2016 Page 10 of 10

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Observe employment restrictions under the Maternity Protection Directive

(92(85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods By Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: Internatonal Air Transport Association

 $\hbox{GHS: Globally Harmonized System of Classification and Labelling of Chemicals}$

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemicals Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
 H302 Harmful if swallowed.
 H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our presend-day knowledge. The information is intended to give you advice about the saf handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.