



viledon®

## VILEDON CHEMWATCH ONLINE MONITORING SYSTEM

ANTI-CORROSION PROTECTION  
AT A SINGLE GLANCE

FREUDENBERG  
FILTRATION TECHNOLOGIES

 **FREUDENBERG**  
INNOVATING TOGETHER

# VILEDON CHEMWATCH ONLINE MONITORING SYSTEM

TURN ON. MEASURE. MONITOR.

Provide your electric and electronic devices with effective protection against corrosion caused by contaminant gases. Avoid efficiency losses in your processes, repairs and failures. As a technological leader in the industrial filtration of air, gases and liquids, Freudenberg Filtration Technologies also provides reliable protection for gas phase filtration. The Viledon® ChemWatch Online Monitoring System, in conjunction with our innovative filtration solutions, provides a reliable real-time way to record, observe and monitor corrosiveness in sensitive areas. The coupon method, which is also used, only provides integral measurements because readings are averaged out over a period of 30 days.

## PLUG 'N' PLAY

All of the data is recorded and stored from beginning to end

## AT A GLANCE

Time course and evaluation of all measurements clearly visible on a large colour display

## DECENTRALIZED DATA ACCESS

Simple and quick data transfer via LAN, WLAN, Bluetooth or analog and digital interfaces

## LOCAL DATA BACKUP

Stores at least 18 month worth of data – even after power failure

## PROCESS SECURITY

Alarm signal shown on the device's LED display or sent by email\*

## FACILITATED DOCUMENTATION


Creating personal notes and linking them to the measurement data

## INDIVIDUALIZATION OF THE DEVICE


Individual adjustment of language, time zone, units, measurement intervals and limits

## DURABLE AND ALWAYS UP TO DATE

Gas-tight housing protects the device against corrosion, always up-to-date with software updates



\* Requires registration and authorization at the factory



MADE IN  
**GERMANY**

The Viledon® ChemWatch Online Monitoring System determines the corrosion class of gaseous media in accordance with standard ANSI/ISA 71.04-2013. The system calculates the corrosion rate (copper and silver), temperature, relative air humidity and the positive pressure in the room to allow a targeted analysis.

The system provides constant monitoring and quick results by using innovative sensor technology based on the principle of electrical resistance measurement. It is easy to install, resistant to vibrations, conforms to CE requirements and provides exact corrosion rates in metric and imperial units regardless of temperature fluctuations.

This document provides non-binding information. Freudenberg Filtration Technologies GmbH & Co. KG does not accept any liability for the completeness and correctness of the contents. Liability and warranty shall be governed solely by the provisions of the underlying delivery relationships.

**FREUDENBERG FILTRATION TECHNOLOGIES**

[Contact us](#)

[www.freudenberg-filter.com](http://www.freudenberg-filter.com)

 **FREUDENBERG**  
INNOVATING TOGETHER